

AMERICAN INTELLIGENCE.

Abortion of one twin, the other remaining. By SAMUEL JACKSON, M. D., of Philadelphia, late of Northumberland.—A very intelligent lady, one most unlikely to be deceived, suffered an abortion at the period of three months, attended with considerable hemorrhage; and after recovering from the effects of this, she was surprised to find herself still affected with her regular morning sickness and other symptoms which, from some experience, she knew to be those of pregnancy. In this state of things, she came thirty miles to consult me, who had been her physician some years before. After the most minute inquiry, I was entirely satisfied that she had miscarried; it, therefore, came into mind, that she might have been pregnant of twins; that she had parted with one, and that the other was the cause of her present symptoms.

She was encouraged to believe this opinion, and the regular time proved our prediction true, by delivering her safely of a healthy child. That this lady did miscarry, I cannot question. She was too intelligent to be deceived, and too honest to deceive me. She saw the ovum as it came away, unlacerated, and saw the embryo, when she cut the membranes. This case she extended, because she was at least twelve miles from any physician, whom she was willing to employ.

But my success in this case led me into error in a subsequent one. A lady suffered a miscarriage, under the care of another physician, attended by dangerous hemorrhage, and, like the above-mentioned, she had for some time all her former indications of pregnancy. She consulted me, and, being her intimate friend, I fearlessly pronounced that she was pregnant of a remaining twin. Time, however, served me otherwise on this occasion, and brought forth nothing but disappointment. It is, however, in some measure possible that my opinion was correct, as a remaining ovum might have been examined by the excessive leucorrhœa that followed her miscarriage, and continued for a long time to excoriate and distress the patient.

Upon relating the first case to Joseph G. Nancrede, M. D., of this city, he informed me, that a similar one had occurred to himself, at the period of four and a half or five months; that he attended at the abortion, saw the fœtus, and knew the woman to be delivered of a full grown, healthy child, about four months afterwards.

We believe that these are novelties to most practitioners; but a single fœtus is sometimes saved after a copious flooding from its single placenta; and, surely, the expulsion of one fœtus, with the preservation of the other, is at least *a priori* a far more probable process.

Annual Report of the Interments in the City and County of New York, showing their Age, Sex, Colour and Places of Nativity, for the year 1837. Also, a Table of Deaths, and the different Diseases, since the year 1804. By HENRY G. DUNNEL, M. D., City Inspector.

TABLE I.—*The Annual Report of Interments in the City and County of New York, for 1837, commencing with the first day of January, and ending with the thirty-first day of December, shewing the disease, age, sex and colour, and in some instances the nativity of the deceased.*

Diseases of the Brain and Nervous System.		Age 1 year and under												Between 1 and 2.		5 and 10		20 and 30		30 and 40		40 and 50		50 and 60		60 and 70		70 and 80		80 and 90		90 and 100		Unknown.				
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Whites.	Blacks.	Males.	Females.	Age 1 year and under	1 and 2.	5 and 10	20 and 30	30 and 40	40 and 50	50 and 60	60 and 70	70 and 80	80 and 90	90 and 100									
Brain, inflammation of	13	13	14	16	10	12	12	18	21	9	8	15	161	155	6	97	64	16	25	10	15	26	19	14	8	0	0	0	0	0	0	0	0	1				
" Dropsy of	51	21	32	37	21	21	23	51	30	0	0	1	365	313	22	203	162	103	98	20	6	3	0	0	0	0	0	0	0	0	0	0	0	0	1			
" Tumour within the	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Apoplexy,	14	9	16	13	11	11	7	7	8	3	15	15	129	118	11	93	36	0	0	0	3	14	35	28	26	5	10	3	0	0	0	0	0	0	1			
Asphyxy,	1	0	1	0	1	1	1	1	1	1	1	1	10	8	2	4	6	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
" from Charcoal funes,	0	1	0	0	1	1	1	1	1	1	1	1	43	3	6	25	24	0	0	1	1	4	10	9	4	5	7	0	0	0	0	0	0	0	0	0		
Palsy,	6	8	8	2	5	4	7	5	0	3	6	2	49	43	6	25	24	0	0	1	1	4	10	9	4	5	7	0	0	0	0	0	0	0	0	0		
Convulsions,	69	69	71	52	61	47	126	115	58	53	50	51	816	778	38	432	384	65	51	12	10	10	3	2	2	1	0	0	0	0	0	0	0	0	0	0		
Epilepsy,	0	2	1	0	0	3	5	0	3	2	1	2	19	18	1	11	8	0	0	0	1	3	4	5	4	1	0	0	0	0	0	0	0	0	0	0		
Chorea or St. Vitus' dance,	1	0	0	0	0	0	0	0	0	0	0	0	3	3	0	2	1	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Hydrophobia,	1	1	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Hypochondria,	0	0	0	0	0	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Insanity,	0	0	5	5	4	3	0	2	0	1	0	0	20	15	5	12	8	0	0	0	0	6	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Puerperal,	0	0	0	0	0	0	0	0	0	0	0	0	7	6	1	5	2	0	0	0	1	2	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Lockjaw,	1	0	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Neuralgia, or Nerve Ache,	0	0	0	0	1	0	0	0	0	0	0	0	7	6	1	5	2	0	0	0	1	2	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
Respiratory System.																																						
Croup,	17	12	12	14	7	13	4	9	11	14	20	18	151	145	6	77	74	28	41	11	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Whooping Cough,	7	5	7	3	1	5	4	7	4	12	7	1	63	62	1	26	37	18	23	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Lungs, Bleeding from	2	1	0	1	2	1	4	2	0	1	0	2	16	12	4	13	4	0	0	1	2	4	4	3	1	1	0	0	0	0	0	0	0	0	0	0	0	
" and Membranes Inflamed,	51	50	78	63	37	41	34	28	27	30	39	56	534	469	65	305	299	132	91	58	21	19	52	61	45	17	24	11	0	0	0	0	0	0	0	0		
" Gangrene of	0	0	1	0	0	0	0	2	0	0	0	0	6	6	0	3	0	0	0	1	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
" Consumption of	142	152	159	163	133	123	101	109	119	72	88	97	1458	1293	165	719	739	31	47	47	51	108	399	328	208	129	73	26	5	0	0	0	0	0	0	0	0	
" Asthma,	1	4	1	0	1	0	2	4	1	2	0	0	14	12	2	8	6	1	1	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Chest, Inflammation of	18	10	16	9	6	5	4	5	4	3	6	6	95	80	15	48	47	40	22	14	0	2	6	9	2	1	2	4	1	0	0	0	0	0	0	0	0	
" Dropsy of	2	6	7	2	2	3	2	4	3	4	1	2	38	31	4	24	14	4	3	1	2	1	5	3	8	7	3	0	1	0	0	0	0	0	0	0	0	
Stenialgia, or Breast Pang,	1	1	1	0	0	0	0	1	1	0	0	0	5	5	0	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Circulatory System.																																						
Heart, Inflammation of	1	0	1	0	0	1	0	2	0	0	1	2	7	7	0	3	4	0	1	0	1	3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
" Organic disease of	2	3	1	3	1	1	3	5	5	5	5	5	37	33	4	22	15	2	1	0	1	8	10	1	0	4	5	0	0	0	0	0	0	0	0	0	0	0

Note A.

Note B.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Whites.	Blacks.	Males.	Females.	Age 1 year and under.	Between 1 and 2.	2 and 5.	5 and 10.	10 and 20.	20 and 30.	30 and 40.	40 and 50.	50 and 60.	60 and 70.	70 and 80.	80 and 90.	90 and 100.	Unknown.			
Cyanosis, or Blue Skin,	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	1	39	16	0	0	0	0	0	0	0	0	0		
Fever, (Type not mentioned.)	7	8	12	17	9	20	15	14	6	9	10	3	130	102	28	64	66	6	6	1	13	7	11	0	0	0	0	0	0	0	0	0		
" Intermitent,	0	0	0	0	0	0	0	0	0	0	0	0	16	14	2	5	11	0	5	3	3	2	1	2	1	0	0	0	0	0	0	0		
" Remittent and Bilious,	0	0	0	0	0	0	0	0	0	0	0	0	75	71	4	37	38	5	5	4	4	4	10	18	9	3	5	1	1	0	0	0		
" Typhus,	6	9	30	37	55	45	47	28	20	24	22	15	338	269	69	178	160	0	2	4	5	30	106	85	44	36	19	6	0	0	0	1		
<i>Eruptive Fevers.</i>																																		
Scarlet Fever,	110	110	88	48	48	20	12	22	25	23	27	46	579	576	3	294	285	72	125	244	97	21	16	0	0	0	0	0	0	0	0	0	2	
Measles,	9	9	5	12	13	18	48	63	25	16	6	14	236	233	5	136	102	52	66	98	14	2	6	0	0	0	0	0	0	0	0	0	0	
Small-pox,	30	12	16	17	17	9	5	9	12	1	17	11	164	144	20	91	70	32	25	40	8	12	28	12	4	2	0	0	0	0	0	0	1	
Varicell,	2	0	0	0	0	0	0	0	0	0	0	0	6	5	1	1	5	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Chicken Pox,	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Erysipelas,	3	3	4	1	9	2	0	0	3	2	0	1	25	26	2	14	14	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Apthae, or Sprue,	3	3	1	1	1	6	4	8	1	2	2	0	32	32	0	19	13	36	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Scalded Head,	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Aneurism,	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" of the Aorta,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Bleeding, (from parts not named.)	2	1	2	2	1	3	0	0	0	0	1	5	25	21	4	14	11	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
Dropsy, (of organs not named.)	15	15	12	14	17	5	13	14	9	17	16	3	150	131	19	80	70	7	4	17	7	7	21	17	32	21	13	3	0	0	0	0	1	
<i>Digestive System.</i>																																		
Pyilism, or Salivation,	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Pylorus, Scirrhus of	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stomach, Bleeding from	0	0	0	0	0	0	0	0	0	0	0	0	5	5	0	3	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Indigestion or Dyspepsia of	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" and Bowels Inflamed,	19	12	7	17	21	17	29	24	27	18	12	17	226	203	17	112	108	65	21	24	10	8	22	24	23	7	7	2	1	0	0	0	2	
" Cramp of	0	0	0	0	0	0	0	0	0	0	0	0	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Cancer of	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Bowels, Rupture of	0	0	0	0	0	0	0	0	0	0	0	0	6	4	2	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Colic of	0	0	0	0	0	0	0	0	0	0	0	0	10	9	1	4	6	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Cholera Morbus,	0	0	0	0	0	0	0	0	0	0	0	0	20	17	3	12	8	2	3	2	1	1	3	0	0	0	0	0	0	0	0	0	0	
" Infantum,	0	0	0	0	0	0	0	0	0	0	0	0	26	24	7	130	123	159	74	20	0	0	0	0	0	0	0	0	0	0	0	0	0	
Diarrhea,	4	3	2	3	5	5	17	49	29	17	13	4	151	143	8	79	72	23	23	22	8	4	17	19	16	4	7	2	1	0	0	0	0	
Dysentery,	2	9	9	1	2	5	8	35	27	20	5	1	124	120	4	78	46	21	19	20	6	4	8	15	10	6	3	0	0	0	0	0	0	
Narasmus, or Emaciation,	21	14	19	20	13	10	29	39	41	33	26	27	292	257	35	155	137	148	51	21	7	1	8	15	9	9	15	4	1	0	0	0	0	
Teething,	19	22	16	14	17	24	30	51	32	10	1	6	242	235	7	129	113	104	135	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0

{ Includes
Atrophy
and
Debility.

[illegible]

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Whites.	Blacks.	Males.	Females.	Age 1 year and under.	Between 1 and 2	2 and 5	5 and 10	10 and 30	30 and 40	40 and 50	50 and 60	60 and 70	70 and 80	80 and 90	90 and 100	Age 105.	Unknown.		
Spiritual Disease,	0	0	1	0	0	0	1	0	0	0	0	0	6	9	0	3	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	
" Injury,	0	0	1	0	0	0	0	0	0	0	0	0	4	3	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Tumour,	0	0	1	0	0	0	0	1	1	0	0	0	10	10	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Ulcers,	3	0	5	2	1	0	3	5	1	3	0	0	24	23	0	11	13	2	0	0	0	4	3	2	1	2	1	0	0	0	0	0	
Ascies,	0	0	0	0	0	0	0	0	1	1	0	0	5	5	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Lumbar,	0	0	0	0	0	0	0	0	1	1	3	0	14	13	0	2	12	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
Cancer, of parts not named,	4	2	5	0	1	4	6	1	5	1	0	1	33	30	3	17	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Mortification of do.	0	0	0	0	0	0	0	0	0	0	0	0	11	6	5	4	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Lues Venerea,	2	3	0	0	1	0	0	1	0	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Necrosis,	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Osteo Sarcoma,	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Rickets,	1	2	0	1	0	0	0	0	1	0	0	0	3	2	1	10	8	4	2	1	0	10	13	8	3	1	1	0	0	0	0	0	
Scrofula,	1	0	0	1	0	0	0	0	1	0	0	0	18	16	2	29	28	14	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Unknown Disease,	0	0	7	7	3	2	4	5	3	7	2	0	57	50	7	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Drinking Cold Water,	0	0	0	0	0	0	1	0	0	0	0	0	2	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Intemperance, and	5	7	4	9	6	4	6	3	1	1	2	3	50	37	13	29	21	0	0	0	0	9	20	15	4	1	0	0	0	0	0	0	0
Delirium Tremens,	11	8	13	11	7	7	8	3	3	1	2	3	78	60	18	56	56	22	0	0	0	18	31	22	3	4	0	0	0	0	0	0	0
Suicide,	1	1	4	3	7	3	5	8	4	3	2	1	42	42	0	25	17	0	0	0	0	13	12	9	3	0	0	0	0	0	0	0	0
Destitution and Exposure,	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Casualties,	15	8	11	3	6	5	5	1	10	6	5	2	79	72	7	65	14	1	1	3	5	22	20	12	7	3	1	0	0	0	0	0	0
Burned or Scalded,	4	9	8	6	2	2	2	0	4	3	4	5	49	45	4	19	30	5	7	13	10	3	5	0	2	1	0	1	0	0	0	0	0
Drowned,	12	1	7	8	27	18	8	18	9	9	1	3	121	113	8	104	17	0	0	0	16	13	26	27	93	7	3	0	0	0	0	0	0
Death from accidental Poisoning,	0	1	2	0	0	1	2	3	0	1	1	0	11	11	0	5	6	0	1	2	0	1	3	1	1	0	0	0	0	0	0	0	0
Fracture,	0	0	0	0	2	3	1	0	1	0	1	1	9	9	0	8	1	0	1	0	1	3	3	0	1	0	0	0	0	0	0	0	0
Killed or Murdered,	1	1	0	0	0	3	0	1	2	1	1	0	10	9	1	8	2	1	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0
Old Age,	13	11	9	22	10	7	12	9	11	7	7	4	122	117	5	50	72	0	0	0	0	0	0	2	6	51	49	13	1	0	0	0	0
Malformation,	1	0	0	0	2	1	1	1	5	7	3	9	30	27	3	19	11	30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Deaths Total,	751	639	784	706	647	593	747	923	766	556	507	533	8182	7480	702	4369	3813	1946	1001	951	369	334	1062	943	657	375	243	162	73	15	1	40	0
Still-born and Premature,*	51	44	64	44	41	40	44	42	38	51	54	37	550	505	45	349	193																
Interments, Total,	802	713	848	750	688	633	791	965	804	607	561	570	8732	7985	747	4718	4006																

* Sex not inured, 8.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Men,	186	143	208	210	184	166	165	167	145	134	111	122	1941
Women,	129	136	183	175	173	133	142	135	129	100	90	105	1630
Boys,	254	232	236	196	174	166	280	368	274	206	203	182	2768
Girls,	233	202	221	169	157	168	204	295	256	167	157	161	2389

Places of Nativity of those who died in 1837.

United States, - - - -	6640	Poland, - - - -	1
Ireland, - - - -	1206	Prussia, - - - -	1
England, - - - -	301	Russia, - - - -	1
Scotland, - - - -	74	Norway, - - - -	1
Wales, - - - -	6	West Indies, - - - -	17
Germany, - - - -	198	South America, - - - -	3
Holland, - - - -	3	Italy, - - - -	4
France, - - - -	45	Canada, - - - -	8
Bavaria, - - - -	1	Nova Scotia, - - - -	5
Spain, - - - -	8	China, - - - -	1
Switzerland, - - - -	3	Africa, - - - -	2
Sweden, - - - -	14	At Sea, - - - -	3
Denmark, - - - -	2	Unknown, - - - -	181

	<i>Natives of Great Britain.</i>	<i>Natives of European Continent.</i>
Note A,	49	7
B,	542	50
C,	151	22
D,	20	2
E,	16	00
F,	15	7
G,	41	7
H,	44	10

The Interments were in the Cemeteries belonging to the following Denominations.

The Public or Potters Field,	- - - - -	2139
Roman Catholic,	- - - - -	2707
Methodist,	- - - - -	1262
Presbyterian,	- - - - -	1079
Episcopalian,	- - - - -	905
Dutch,	- - - - -	406
Baptist,	- - - - -	149
Friends,	- - - - -	56
Hebrews,	- - - - -	29

The Population of New York, according to the last Census, in 1835, was

Males, - - - -	131,624
Females, - - - -	138,461
Total, - - - -	270,085
Persons of Colour, - - - -	15,197
Whites, - - - -	254,892

DISEASES.	1805	1806	1807	1808	1809	1810	1811	1812	1813	1814	1815	1816	1817	1818	1819	1820	1821	1822	1823	1824	1825	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	Total.	
Leprosy,	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	680	
Excited Head,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	202	
Accurancy,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	202	
Bleeding fm. pis. not nam.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	202	
Dropsy of organs,	83	89	98	91	85	93	90	78	88	89	116	108	73	114	115	110	116	116	115	135	118	138	111	132	130	121	181	137	151	3331	3331	3331	
Digestive System.																																	
Stomach, bleeding from,	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	574	
" Dyspep. or Indigest.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	122	
" and Bowels, Inflamm. of	23	48	43	29	44	38	41	38	41	47	61	60	73	84	123	117	118	155	161	111	118	155	161	111	195	231	236	222	233	197	276	3252	3252
" Cramp of,	1	1	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	601	
" Colic,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Cholera, the	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Morbus,	195	166	162	120	137	138	137	138	137	138	137	138	137	138	137	138	137	138	137	138	137	138	137	138	137	138	137	138	137	138	137	138	137
" Infantum,	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	
Diarrhœa,	60	52	30	21	16	12	9	7	6	5	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Dysentery,	16	11	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Note 11. M. Marasmus,	202	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202
" Note 12. M. Cachexia,	30	44	35	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	
" Note 13. M. Worms,	31	45	60	43	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	
" Note 14. M. Tumors,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 15. M. Liver, Inflamm. and Disease,	7	11	18	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
" Note 16. M. Scirrhus of	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
" Note 17. M. Jaundice,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 18. M. Genital System,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 19. M. Bladder and Kidneys, Infl.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 20. M. Travel or Stone,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 21. M. Diabetes,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 22. M. Dismenstruation,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 23. M. Child-bed and Puerp. Fever	16	15	12	23	21	25	20	28	20	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	
" Note 24. M. Inflamations.																																	
" Note 25. M. Glands,	6	21	22	17	2	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 26. M. Throat,	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 27. M. Pneumonia,	3	3	3	4	5	4	5	6	3	1	5	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
" Note 28. M. Pleurisy,	2	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 29. M. White Swelling,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 30. M. Orbis Coxarius, [Dis. Hip.]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 31. M. Abscess,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 32. M. Do. Lumbar,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 33. M. Unmour,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 34. M. Accers,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 35. M. Aruncule,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 36. M. Strictures,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 37. M. Stricture,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Note 38. M. Cancer,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

DISEASES.	1805	1806	1807	1808	1809	1810	1811	1812	1813	1814	1815	1816	1817	1818	1819	1820	1821	1822	1823	1824	1825	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	Total.	Comp. as 1 in	
Scurvy,	1	0	6	1	2	1	0	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	21	5746.9		
Rickets,	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	26	6511.69		
Scrophula,	4	4	4	4	4	7	1	4	6	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	329	386.78		
Lues Venerea,	14	12	15	10	13	22	18	10	4	7	8	11	7	14	13	10	9	5	5	5	5	5	5	5	5	5	5	5	5	5	5	372	324.47		
Fracture,	0	0	0	4	2	7	4	0	3	3	4	5	1	1	1	2	4	5	3	3	2	7	12	6	3	1	9	2	1	8	6	115	109.12		
Old Age,	46	67	51	49	62	88	85	85	66	56	73	73	96	92	82	100	122	116	137	151	203	201	202	195	181	103	135	151	107	136	101	131	2332	31.19	
Drinking Cold Water,	11	0	1	1	0	0	0	0	1	0	2	1	2	16	6	10	2	4	0	0	3	77	0	21	9	2	19	4	3	4	40	0	7	274	410.45
Intemp. and Delir. Trem.	17	11	14	18	28	30	19	18	9	7	12	30	40	38	28	64	44	43	70	81	55	73	75	60	75	119	76	119	76	110	165	142	1728	69.81	
Suicide,	26	15	16	8	16	8	9	5	11	6	5	15	18	24	27	15	16	13	18	19	14	29	23	22	33	29	30	33	29	33	33	617	617		
Unknown Disease,	26	28	45	21	16	28	53	41	35	36	35	68	31	64	103	100	80	64	79	94	160	150	161	99	98	101	100	130	112	126	67	2172	48.82		
Casualties, (Including reports as burned, drowned, frozen and killed, Note C. Malignant, Note C. Malignant,	78	87	77	84	99	106	77	99	88	70	101	99	82	120	110	103	105	127	120	130	156	150	151	158	131	146	178	178	236	211	263	256	4200	4200	
Deaths in each year, Total,	227	317	226	163	208	303	243	247	220	188	210	255	210	310	308	336	338	302	321	301	350	347	340	343	343	340	340	340	340	340	340	6925	6925		
Still-born and Premature,	47	51	76	61	70	94	93	81	76	93	104	88	118	159	164	189	174	205	223	250	244	242	241	248	240	349	372	381	382	392	471	606	6925	6925	

NOTE A.—Among the deaths from Inflammation of the Lungs and Membranes are classed deaths reported by Pleurisy, Peripneumonia, Bronchitis, Cold, Cough, Influenza, Pneumonia Typhoides, and Inflammation of the Chest.

NOTE B.—Under deaths from Marasmus are included deaths reported by Decay, Debility, Tabes Mesenterica and Atrophy.

NOTE C.—Malignant includes returns as such, and Spina Bifida.

TABLE IV.—The whole number of Interments for these years amounts to 132,426—of which are classed as Men, 37,585—as Boys, 36,129—Women, 28,676—Girls, 30,036; or, Males, 73,714—Females, 58,712. This amount includes 6,925 Still-born, which, in estimating the mortality under 5 years of age, have been excluded, making an excess of mortality of Males, of 15,002, or 11.32 per cent. The Mortality at certain ages is divided into 10 periods.

	Total	pr. et.	1805.	1806.	1807.	1808.	1809.	1810.	1811.	1812.	1813.	1814.	1815.	1816.	1817.	1818.	1819.	1820.	1821.	1822.	1823.	1824.	1825.	1826.	1827.	1828.	1829.	1830.	1831.	1832.	1833.	1834.	1835.	
Un. 5 years,	49331	39.46	35.45	11.69	37.79	38.7	37.73	32.99	35.08	33.95	34.21	32.14	32.22	31.3	31.40	37.02	38.09	38.87	38.05	35.42	37.26	36.3	32.48	37.69	10.49	39.02	12.03	14.31	41.06	33.41	43.92	45.07	47.51	
Bet. 5 & 10 ya.	46323	4.	2.92	3.11	3.18	4.76	4.31	4.03	4.89	4.36	4.75	4.83	4.7	4.03	4.09	4.31	4.21	4.56	4.88	4.76	4.64	4.76	4.64	4.76	4.41	3.62	3.98	4.11	4.62	4.25	4.34	4.89	4.32	4.19
10 & 20	16539	4.7	5.63	5.1	4.96	6.1	5.88	6.31	6.99	4.73	5.61	4.99	4.9	5.13	6.06	4.31	5.21	5.59	4.39	4.95	4.76	4.64	4.76	4.41	3.62	3.98	4.11	4.62	4.25	4.34	4.89	4.32	4.19	
20 & 30	13249	13.249	15.25	14.09	13.1	12.5	12.46	13.41	12.42	11.97	12.86	14.88	13.70	14.56	12.99	12.35	12.96	12.56	13.21	14.11	14.06	13.66	13.67	13.23	13.94	14.14	12.70	13.	11.68	14.	13.09	13.69	13.27	
30 & 40	17058	13.462	14.02	13.08	14.96	11.12	13.26	14.23	12.05	14.32	13.91	13.02	16.5	15.27	13.	13.68	12.73	12.59	13.24	13.91	12.76	13.29	15.87	13.43	15.07	12.8	12.92	12.26	16.21	12.9	12.82	12.34	11.	
40 & 50	12512	9.969	10.4	10.25	9.78	9.58	9.63	10.51	10.53	12.19	10.59	11.48	11.06	12.24	11.12	11.54	10.5	10.79	10.57	11.	10.7	10.38	13.41	10.34	10.21	10.24	9.21	8.05	8.64	11.46	8.36	8.36	7.97	
50 & 60	7786	6.23	6.74	6.01	5.81	5.84	6.28	7.52	6.91	7.36	6.25	7.07	6.63	6.67	7.38	7.69	6.61	6.73	7.21	6.7	7.2	6.3	7.47	7.06	6.62	6.23	5.57	5.65	6.73	7.06	4.51	4.91	4.97	
60 & 70	5385	4.23	4.44	4.09	4.31	3.84	5.63	5.05	5.38	4.38	4.9	5.51	4.56	4.5	4.62	4.72	5.19	5.15	4.19	3.86	4.73	4.32	4.51	4.41	4.3	3.96	3.92	4.9	3.94	3.28	2.68	3.		
70 & 80	3341	2.82	2.63	2.83	3.	3.99	3.29	3.91	3.9	3.96	3.47	4.45	4.15	3.39	3.88	3.51	3.69	3.63	3.23	3.48	2.81	3.37	2.82	2.63	2.37	2.61	2.28	3.45	2.73	2.20	2.07	2.01		
80 & upw.	2162	1.674	1.48	1.83	1.76	1.38	2.	2.51	2.26	2.66	1.81	2.07	2.12	1.81	2.73	2.09	1.92	1.95	2.16	2.18	2.01	1.65	2.28	1.9	1.26	1.62	1.09	1.53	1.36	1.41	1.07	1.13		
Total, . . .	125,500																																	

The population of this City has risen during this time, from 75,770, to 270,089; viz.

	In 1805,	In 1810,	In 1815,	In 1820,	In 1825,	In 1830,	In 1835,
	75,770	96,373	100,619	123,706	166,086	197,112	270,089
In 1805,	-	-	-	-	-	-	-
In 1810,	-	-	-	-	-	-	-
In 1815,	-	-	-	-	-	-	-
In 1820,	-	-	-	-	-	-	-
In 1825,	-	-	-	-	-	-	-
In 1830,	-	-	-	-	-	-	-
In 1835,	-	-	-	-	-	-	-

Great labour and attention have been bestowed upon these Tables, and they may be relied upon for accuracy.